

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	7	manipulation with log with separate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 12:56
L4	13	manipulation with log with (last or final)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 12:57
L5	5	manipulation with log with (one) with (last or final)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:00
L6	1	manipulation with log with (one) with (last)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:00
L7	1	manipulation with log with single with (last or final)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:00
L8	2	manipulation with log with only with (last or final)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:01
L9	10	manipulation with log with final	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:01

L10	70	manipulation with log with end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:02
L11	6	manipulation near3 log near3 end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:02
L12	3	manipulation near3 log near3 (duplicat\$3 or repeat \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:03
L13	9	manipulation near3 log near3 one	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:04
L14	2	manipulation near3 log near3 single	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:05
L15	112	chang\$2 near3 log near3 (last or final)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:06
L16	423	chang\$2 near3 log near3 (last or final or one)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:14
L17	27	15 and manipulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:14

L18	109	16 and manipulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:14
L19	22	chang\$2 near3 log near3 (last or final or one) near3 only	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 13:20
L27	0	only near3 log\$4 near3 commit\$1 near3 final	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 16:10
L28	28	only near3 log\$4 near3 commit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 16:10
S1	2	"20040111417"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 11:47
S2	10193	data adj manipulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 18:59
S3	914	S2 and (client same server same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:53
S4	652	S3 and (access\$4 near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:53

S5	187	S4 and ((send\$4 same receiv\$4) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:54
S6	138	S5 and log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:54
S7	117	S6 and (send\$4 with message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:55
S8	68	S7 and (transaction adj process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 15:59
S9	9	S2 and (application adj side)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 16:14
S10	287	S2 and (first adj computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 16:15
S11	193	S10 and (second adj computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 16:15
S12	51	S11 and (database near3 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 16:15

S13	35	S12 and client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 16:15
S14	0	("2004/0111417").URPN.	USPAT	OR	ON	2006/02/13 18:59
S15	491	database adj manipulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/13 18:59
S16	30	S15 and (client with (log or (log adj (data or file))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 10:22
S17	8932	(first adj computer) with (second adj computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 10:24
S18	413	(first adj computer) with (second adj computer) with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 10:25
S19	10	S18 and (data adj manipulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 10:55
S20	2	(data adj manipulation) with (creat\$4 near3 log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:06
S21	3	(data adj manipulation) same (creat\$4 near3 log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 12:07

S22	2	"5903898".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 13:23
S23	429	(data adj manipulat\$4) near3 database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:02
S24	4	S23 and ((data adj manipulat\$4) near3 log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:14
S25	53596	(transaction near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:15
S26	15	(transaction near3 system) with (data adj manipulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:17
S27	1181	(transaction near3 system) and (data adj manipulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:18
S28	141	S27 and (first adj (computer or system or client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:18
S29	111	S28 and (second adj (computer or system or client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:19

S30	87	S29 and log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:19
S31	27558	data near3 manipulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:13
S32	89	S31 and ((chang\$4 or manipulat\$4) near3 (database adj record\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:16
S33	68	S32 and (client with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:16
S34	12	S33 and (log near3 (file or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 15:17
S35	2	"5903898".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 11:54
S36	0	"5903898".pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 18:20
S37	2	"5903898".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/06 18:21

S38	29	new with data with manipulation\$1 with previously	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/07 15:56
S39	6	S38 and (updat\$4 near4 (data or file or record\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/07 15:57
S40	13359	data adj manipulation\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/07 16:01
S41	8	S40 and (updat\$4 near2 ((multiple or plurality) adj record\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/07 16:01
S42	0	S40 and (second with send \$3 with search with result \$1 with first)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/07 16:08
S43	3	S40 and (second with send \$3 with search with (record\$1 or result\$1) with first)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/07 16:08
S44	3	S40 and (second with send \$3 with search with request with first)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/07 16:10
S45	18	S40 and (server with send \$3 with search with (result \$1 or request or query) with client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/07 16:12

S46	0	S45 and (new near3 manipulation\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/07 16:12
S47	1024	(replicat\$4 or mirror\$4) near3 log\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 02:38
S48	57	S47 and ((updat\$4 or chang\$4) near3 second near3 (database or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 02:39
S49	41	S47 and ((updat\$4 or chang\$4) near3 (second adj3 (database or server)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/17 02:40
S50	1	(record\$4 or stor\$4) near4 manipulation\$1 near4 one near4 log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 18:52
S51	0	(record\$4 or stor\$4) near4 manipulation\$1 near4 (last or final) near4 log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 18:53
S52	1	manipulation\$1 near4 (last or final) near4 log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 18:54
S53	172	change\$1 near4 (last or final) near4 log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 18:54

S54	19	S53 and (data near3 manipulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 18:54
S55	2	"5903898".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 19:05

1/31/2009 6:33:40 PM

C:\Documents and Settings\rmahmood\My Documents\EAST\Workspaces\10646305.wsp